Author Index–Volume 35

A

Aadahl, P.: *see* Amundsen, T.
Abendschein, D.R.: *see* Lanza, G. M.
Achilefu, S., Dorshow, R. B., Bugaj, J. E., Rajagopalan, R.: Novel receptor-targeted fluorescent contrast agents for in vivo tumor imaging, 479
Adam, G. B.: *see* Staatz, G.
Aksnes, A.-K.: *see* Hagen, E. K.
Allder, S.: *see* Moody, A. R.
Alvino, S.: *see* Spinazzi, A.
Amazeen, P.: *see* Graif, M.
Amthauer, H.: *see* Ricke, J.
Amundsen, T., Kværness, J., Aadahl, P., Waage, A., Bjermer, L., Ødegård, A., Haraldseth, O.: A closed-chest pulmonary artery occlusion/reperfusion model in the pig: Detection of experimental pulmonary embolism with MR angiography and perfusion MR imaging, 295
Antonini, J.-P.: *see* Blum, A. G.
Arditi, M.: *see* Gorce, J.-M.
Aref, M.: *see* Konda, S. D.
Arora, L. C.: *see* Goodwin, S. C.

B

Baarslag, H. J.: *see* Kok, T.
Bachmann, R., Heimbach, D., Kersjes, W., Jacobs, D., Schild, H., Hesse, A.: A new type of articial urinary calculi: In vitro study by spiral CT, 672
Bacon, E. R.: *see* McIntire, G. L.
Bader, A.: *see* Högemann, D.
Bader, T. R., Grabenwöger, F., Prokesch, R. W., Krause, W.: Measurement of hepatic perfusion with dynamic computed tomography: Assessment of normal values and comparison of two methods to compensate for motion artifacts, 539
Bader, T. R., Prokesch, R. W., Grabenwöger, F.: Timing of the hepatic arterial phase during contrast-enhanced computed tomography of the liver: Assessment of normal values in 25 volunteers, 486
Bakan, D. A., Weichert, J. P., Longino, M. A., Counsell, R. E.: Polyiodinated triglyceride lipid emulsions for use as hepatoselcetive contrast agents in CT: Effects of physicochemical properties on biodistribution and imaging profiles, 158
Baker, M.: *see* Unger, E.
Bakhsheshi, H.: *see* Budoff, M. J.
Bamberger, P.: *see* Leichter, I.
Baraz, M.: *see* Graif, M.
Bashir, A.: *see* Burstein, D.
Ba-Ssalamah, A.: *see* Trattnig, S.
Baumann, A.: *see* Högemann, D.
Baumann, B.: *see* Jacob, A. L.
Benderbous, S.: *see* Marchand, B.
Benetti, A.: *see* Grazioli, L.
Benito, C.: *see* Martí-Bonmatí, L.
Berthold, L. D.: *see* Saar, B.
Bessin, G.: *see* McIntire, G. L.
Bijleveld, C. M. A.: *see* Kok, T.
Bjermer, L.: *see* Amundsen, T.
Blank, A.: *see* Graif, M.
Bluemke, D. A.: *see* Kraitchman, D. L.
Blum, A. G., Simon, J.-M., Cotten, A., Quirin-Cosmidis, I., Boyer, B., Boutry, N., Antonini, J.-P.: Comparison of double-contrast CT arthrography image quality with nonionic contrast agents: Isotonic dimeric iodixanol 270 mg I/mL and monomeric iohexol 300 mg I/mL, 304
Bock, M.: *see* Schoenberg, S. O.
Boeve, W. J.: *see* Kok, T.
Böhm, S.: *see* Spahn, M.
Böhm, T., Hilger, I., Müller, W., Reichenbach, J. R., Fleck, M., Kaiser, W. A.: Saline-enhanced radiofrequency ablation of breast tissue: An in vitro feasibility study, 149
Bohning, D. E., Shastri, A., McGavin, L., McConnell, K. A., Nahas, Z., Lorberbaum, J. P., Roberts, D. R., George, M. S.: Motor cortex brain activity induced by 1-Hz transcranial magnetic stimulation is similar in location and level to that for volitional movement, 676
Bonilla, S. M.: *see* Goodwin, S. C.
Bosch, H. G.: *see* Van Assen, H. C.
Bosch, J. G.: *see* Šrámek, A.
Boutry, N.: *see* Blum, A. G.
Boyer, B.: *see* Blum, A. G.
Brechbiel, M.: *see* Konda, S. D.
Brechtel, K.: *see* Schick, F.
Bremer, C.: *see* Tombach, B.
Britton, C. A.: *see* Towers, J. D.
Brunberg, J. A.: *see* Grossman, R. I.
Buchbinder, S.: *see* Leichter, I.
Buchmann, J.: *see* Weiwad, W.
Bücker, A.: *see* Meyer, J. M. A.
Budoff, M. J., Lu, B., Mao, S., Bakhsheshi, H., Zhuang, N., Liu, S. C. K., French, W. J.: Evaluation of fluid collection in the pericardial sinuses and recesses: Noncontrast-enhanced electron beam tomography, 359
Bugaj, J. E.: *see* Achilefu, S.
Burns, P. N.: *see* Correas, J.-M.
Burns, P. N., Wilson, S. R., Simpson, D. H.: Pulse inversion imaging of liver blood flow: Improved method for characterizing focal masses with microbubble contrast, 58
Burstein, D., Bashir, A., Gray, M. L.: MRI techniques in early stages of cartilage disease, 622

C

Canet, E.: *see* Marchand, B.
Caudana, R.: *see* Grazioli, L.
Ceriati, S.: *see* Spinazzi, A.
Cheon, J.-E.: *see* Kim, I.-O.
Chillon, S.: *see* Laissy, J.-P.
Chin, B. B.: *see* Kraitchman, D. L.
Choi, B. I.: *see* Kim, A. Y.
Choi, I. H.: *see* Kim, I.-O.
Claussen, C. D.:, 393. *see* Schick, F.
Coffey, S. B.: *see* McIntire, G. L.
Colombari, R.: *see* Grazioli, L.
Cornioley, Y. A.: *see* Morel, D. R.
Corot, C.: *see* Marchand, B.
Corot, C., Violas, X., Robert, P., Port, M.: Pharmacokinetics of three gadolinium chelates with different molecular sizes shortly after intravenous injection in rabbits, Relevance to MR angiography, 213
Correas, J.-M., Burns, P. N., Lai, X., Qi, X.: Infusion *versus* bolus of an ultrasound contrast agent: In vivo dose-response measurements of BRI, 72
Costello, P.: *see* Towers, J. D.
Cotten, A.: *see* Blum, A. G.
Counsell, R. E.: *see* Bakan, D. A.
Coupland, S. E.: *see* Schmitz, S. A.
Czerny, C.: *see* Imhof, H.

D

Damilakis, J., Perisinakis, K., Voloudaki, A., Gourtsoyiannis, N.: Estimation of fetal radiation dose from computed tomography scanning in late pregnancy: Depth-dose data from routine examinations, 527
De Bray, J. M.: *see* Messager, T.
Debus, J.: *see* Essig, M.
Delay, G.: *see* Moody, A. R.
de Muinck Keizer-Schrama, S. M. P. F.: *see* van Rijn, R. R.
De Valois, J. C.: *see* Van Den Berg, J. C.
Diehl, S. J.: *see* Sadick, M.
Dinkelborg, L.: *see* Hochmuth, A.
Djavidani, B.: *see* Seitz, J.
Dorshow, R. B.: *see* Achilefu, S.
Douek, P. C.: *see* Marchand, B.
Dumanli, H.: *see* Schreyer, A. G.
Dumont, E.: *see* Laissy, J.-P.

E

Ebert, W.: *see* Tombach, B.
Egmont-Petersen, M.: *see* Van Assen, H. C.
Encina, J. L.: *see* Martí-Bonmatí, L.
Essig, M., Wenz, F., Schoenberg, S. O., Debus, J., Knopp, M. V., Van Kaick, G.: Arteriovenous malformations: Assessment of gliotic and ischemic changes with fluid-attenuated inversion-recovery MRI, 689

F

Felix, R.: *see* Hänninen, E. L.; Steinkamp, H. J.
Felix, R.: *see* Ricke, J.
Feuerbach, S.: *see* Manke, C.; Seitz, J.; Spahn, M.
Fielding, J. R.: *see* Schreyer, A. G.
Fields, S.: *see* Leichter, I.
Fischbach, R.: *see* Maintz, D.
Fischer, H.: *see* Kaiser, W. A.
Fisman, E. Z.: *see* Tenenbaum, A.
Fleck, M.: *see* Böhm, T.; Hochmuth, A.
Floemer, F.: *see* Schoenberg, S. O.
Forsberg, F.: *see* Hagne, E. K.
Fouillet, X.: *see* Spinazzi, A.
Franconi, F.: *see* Messager, T.
French, W. J.: *see* Budoff, M. J.
Furuta, W.: *see* Sendo, T.

G

Gaa, J.: *see* Sadick, M.
Gabaeff, D.: *see* Unger, E.
Galanski, M.: *see* Högemann, D.
Gallowitsch, H. J., Mikosch, P., Kresnik, E., Unterweger, E. K. O., Lind, P.: Comparison between ^{99m}Tc-tetrofosmin/pertechnetate subtraction scintigraphy and ^{99m}Tc-tetrofosmin SPECT for preoperative localization of parathyroid adenoma in an endemic goiter area, 453
Geens, V.: *see* Tombach, B.
Geiger, B.: *see* Spahn, M.
Geissler, A.: *see* Manke, C.
George, M. S.: *see* Bohning, D. E.
Georgi, M.: *see* Sadick, M.
Gerlach, S.: *see* Krause, W.
Gilat, T.: *see* Graif, M.
Glowinski, A.: *see* Krombach, G. A.
Go, P. M. N. Y. H.: *see* Van Den Berg, J. C.
Goedhart, B.: *see* Van Assen, H. C.
Goetz, L.: *see* Weiwad, W.
Goldberg, B. B.: *see* Hagen, E. K.
Goodwin, S. C., Yoon, H.-C., Wong, G. C. H., Bonilla, S. M., Vedantham, S., Arora, L. C.: Percutaneous delivery of a heparin-impreg-

nated collagen stent-graft in a porcine model of atherosclerotic disease, 420
Gorce, J.-M., Arditi, M., Schneider, M.: Influence of bubble size distribution on the echogenicity of ultrasound contrast agents: A study of SonoVue™, 661
Gossmann, A.: *see* Maintz, D.
Gourtsoyiannis, N.: *see* Damilakis, J.
Gourtsoyiannis, N., Papanikolaou, N., Grammatikakis, J., Maris, T., Prassopoulos, P.: MR imaging of the small bowel with a true-FISP sequence after enteroclysis with water solution, 707
Grabenwöger, F.: *see* Bader, T. R.
Graif, M., Yanuka, M., Baraz, M., Blank, A., Moshkovitz, M., Kessler, A., Gilat, T., Weiss, J., Walach, E., Amazeen, P., Irving, C. S.: Quantitative estimation of attenuation in ultrasound video images: Correlation with histology in diffuse liver disease, 319
Grammatikakis, J.: *see* Gourtsoyiannis, N.
Grampp, S.: *see* Imhof, H.
Gray, M. L.: *see* Burstein, D.
Grazioli, L., Morana, G., Caudana, R., Benetti, A., Portolani, N., Talamini, G., Clumbari, R., Pirovano, G., Kirchin, M. A., Spinazzi, A.: Hepatocellular carcinoma: Correlation between gadobenate dimeglumine-enhanced MRI and pathologic findings, 25
Griffey, S. M.: *see* Wisner, E. R.
Grimm, J., Karger, N., Lüsse, S., Winoto-Morbach, S., Krisch, B., Müller-Hülsbeck, S., Heller, M.: Characterization of ultrasmall, paramagnetic magnetite particles as superparamagnetic contrast agents in MRI, 553
Grodd, W.: *see* Grossman, R. I.
Groell, R.: *see* Müller, H. M.
Grossman, R. I., Rubin, D. L., Hunter, G., Haughton, V. M., Lee, D., Sze, G., Kuhn, M. J., Maravilla, K., Tu, R., Heindel, W., Wippold, II, F. J., Leeds, N., Zelch, J., Jinkins, J. R., Grodd, W., Truwit, C., Kanal, E., Provenzale, J. M., Ramsey, R., Simon, J., Brunberg, J. A., Stevens, G. R., Kristy, R. M.: Magnetic resonance imaging in patients with central nervous system pathology: A comparison of OptiMARK (Gd-DTPA-BMEA) and Magnevist (Gd-DTPA), 412
Günther, R.: *see* Meyer, J. M. A.
Günther, R. W.: *see* Krombach, G. A.; Staatz, G.; Wildberger, J. E.
Gur, D.: *see* Towers, J. D.
Gust, R.: *see* Schmitz, S. A.

H

Haagsma, E. B.: *see* Kok, T.
Hagen, E. K., Forsberg, F., Aksnes, A.-K., Merton, D. A, Liu, J.-B., Tornes, A., Johnson, D., Goldberg, B. B.: Enhanced detection of blood flow in the normal canine prostate using an ultrasound contrast agent, 118
Hahm, G.: *see* Spahn, M.
Hahn, S. T.: *see* Lee, S. H.
Hahn, U.: *see* Schick, F.
Hall, C. S.: *see* Lanza, G. M.
Hamada, S.: *see* Honda, O.
Han, J. K.: *see* Kim, A. Y.
Hänninen, E. L., Vogl, T. J., Steinmüller, T., Ricke, J., Neuhaus, P., Felix, R.: Preoperative contrast-enhanced MRI of the parathyroid glands in hyperparathyroidism, 426
Hänninen, E. L.: *see* Ricke, J.
Haraldseth, O.: *see* Amundsen, T.
Hartmann, H.: *see* Weiwad, W.
Hauff, P.: *see* Hochmuth, A.
Haughton, V. M.: *see* Grossman, R. I.
Heimbach, D.: *see* Bachmann, R.
Heindel, W.: *see* Grossman, R. I.; Tombach, B.
Heinig, A.: *see* Weiwad, W.
Helber, U.: *see* Schick, F.
Held, P.: *see* Seitz, J.
Heldman, A. W.: *see* Kraitchman, D. L.
Heller, M.: *see* Grimm, J.; Müller-Hülsbeck, S.
Hergt, R.: *see* Hilger, I.
Hesse, A.: *see* Bachmann, R.
Heverhagen, J. T.: *see* Saar, B.
Heywang-Koebrunner, S. H.: *see* Weiwad, W.
Hilbert, C.: *see* Müller-Hülsbeck, S.
Hilger, I.: *see* Böhm, T.; Hochmuth, A.
Hilger, I., Hergt, R., Kaiser, W. A.: Effects of magnetic thermoablation in muscle tissue using iron oxide particles: An in vitro study, 170
Hochmuth, A., Fleck, M., Hauff, P., Reinhardt, M., Kosmehl, H., Hilger, I., Dinkelborg, L., Kaiser, W. A.: First experiences in using a new ultrasound mode and ultrasound contrast agent in the diagnosis of blunt renal trauma: A feasibility study in an animal model, 205
Hoffmann, A.: *see* Schoenberg, S. O.
Högemann, D., Baumann, A., Rocker, D., Bader, A., Galanski, M.: In vitro model of the human liver parenchyma to study hepatotoxic side effects of Dy-EOB-DTPA, 373
Hohn, L.: *see* Morel, D. R.
Holbert, J. M.: *see* Towers, J. D.
Honda, O., Nishimura, M., Tomiyama, N., Johkoh, T., Mihara, N., Kozuka, T., Naito, H., Hamada, S., Kagawa, K., Nishida, T., Ichikawa, Y., Yamamoto, S., Nakamura, H.: Artificial ventilation-induced diffuse alveolar damage in rabbits: Preliminary study of early detection on expiratory high-resolution computed tomography, 534
Hop, W. C. J.: *see* van Rijn, R. R.; Van Rijn, R. R.
Höpfner, M.: *see* Müller-Hülsbeck, S.
Horsfield, M. A.: *see* Moody, A. R.
Huber, M.: *see* Trattnig, S.
Huber, M., Trattnig, S., Lintner, F.: Anatomy, biochemistry, and physiology of articular cartilage, 573
Hübner, D.: *see* Staatz, G.
Hulett, R.: *see* Unger, E.
Hunter, G.: *see* Grossman, R. I.
Hutzelmann, A.: *see* Müller-Hülsbeck, S.

I

Ichikawa, Y.: *see* Honda, O.
Ihnat, D.: *see* Unger, E.
Illig, K. J.: *see* McIntire, G. L.
Imhof, H.: *see* Trattnig, S.
Imhof, H., Sulzbacher, I., Grampp, S., Czerny, C., Youssefzadeh, S., Kainberger, F.: Subchondral bone and cartilage disease: A rediscovered functional unit, 581
Imhof, H., Trattnig, S.: MRI of cartilage: A review, 571
Irving, C. S.: *see* Graif, M.

J

Jacob, A. L., Messmer, P., Kaim, A., Suhm, N., Regazzoni, P., Baumann, B.: A whole-body registration-free navigation system for image-guided surgery and interventional radiology, 279
Jacobs, D.: *see* Bachmann, R.
Jallet, P.: *see* Messager, T.
Jinkins, J. R.: *see* Grossman, R. I.
Johkoh, T.: *see* Honda, O.
Johnson, D.: *see* Hagen, E. K.
Jolesz, F. A.: *see* Schreyer, A. G.
Jung, K.-J., Lee, K. S., Kim, S. Y., Kim, T. S., Pyeun, Y. S., Lee, J. Y.: Low-dose, volumetric helical CT: Image quality, radiation dose, and usefulness for evaluation of bronchiectasis, 557

K

Kagawa, K.: *see* Honda, O.
Kaim, A.: *see* Jacob, A. L.
Kainberger, F.: *see* Imhof, H.
Kaiser, W. A.: *see* Böhm, T.; Hilger, I.; Hochmuth, A.
Kaiser, W. A., Fischer, H., Vagner, J., Selig, M.: Robotic system for biopsy and therapy of breast lesions in a high-field whole-body magnetic resonance tomography unit, 513
Kalden, P.: *see* Schunk, K.
Kalinowski, M.: *see* Müller-Hülsbeck, S.
Kanal, E.: *see* Grossman, R. I.
Kane, B. J.: *see* Tiukinhoy, S. D.
Karger, N.: *see* Grimm, J.
Karila-Cohen, P.: *see* Laissy, J.-P.
Kataoka, Y.: *see* Sendo, T.
Kawakami, S.: *see* Takashima, S.
Kenton, A.: *see* Moody, A. R.
Kern, A.: *see* Schunk, K.
Kersjes, W.: *see* Bachmann, R.
Kessler, A.: *see* Graif, M.
Kikinis, R.: *see* Schreyer, A. G.
Kim, A. Y., Kim, T. K., Kim, Y. H., Han, J. K., Choi, B. I.: Comparison of harmonic and conventional power doppler ultrasonography for assessment of slow flow in hyperechoic tissue: Experimental study using a doppler phantom, 105
Kim, C. J.: *see* Kim, I.-O.
Kim, H. J.: *see* Kim, I.-O.
Kim, I.-O., Kim, H. J., Cheon, J.-E., Seong, C. K., Kim, C. J., Kim, W. S., Park, S. W., Lee, W., Choi, I. H., Yeon, K. M.: MR imaging of changes of the growth plate after partial physeal removal and fat graft interposition in rabbits, 712
Kim, J.: *see* Lee, S. H.
Kim, S. Y.: *see* Jung, K.-J.
Kim, T. K.: *see* Kim, A. Y.
Kim, T. S.: *see* Jung, K.-J.
Kim, W. S.: *see* Kim, I.-O.
Kim, Y. H.: *see* Kim, A. Y.
Kirchin, M. A.: *see* Grazioli, L.
Klegerman, M. E.: *see* Tiukinhoy, S. D.
Klose, K. J.: *see* Saar, B.
Knopp, M. V.: *see* Essig, M.; Schoenberg, S. O.
Koba, H.: *see* Saitoh, T.
Kok, T., Boeve, W. J., Prins, T. R., Baarslag, H. J., Woesthuis, M., Slooff, M. J. H., Haagsma, E. B., Bijleveld, C. M. A., Van Der Jagt, E. J.: Arteriography and portal venography on routine follow-up after orthotopic liver transplantation, 653
Konda, S. D., Aref, M., Brechbiel, M., Wiener, E. C.: Development of a tumor-targeting MR contrast agent using the high-affinity folate receptor: Work in progress, 50
Koning, G.: *see* Van Assen, H. C.
Kopp, I.: *see* Saar, B.
Kosmehl, H.: *see* Hochmuth, A.
Kozuka, T.: *see* Honda, O.
Kraitchman, D. L., Bluemke, D. A., Chin, B. B., Heldman, A. W., Heldman, A. W.: A minimally invasive method for creating coronary stenosis in a swine model for MRI and SPECT imaging, 445

Kramann, B.: *see* Schneider, G.
Krämer-Hansen, H.: *see* Müller-Hülsbeck, S.
Krause, W.: *see* Bader, T. R.
Krause, W., Gerlach, S., Muschick, P.: Prevention of the hemodynamic effects of iopromide-carrying liposomes in rats and pigs, 493
Kresnik, E.,. *see* Gallowitsch, H. J.
Kresse, M.: *see* Schmitz, S. A.
Krisch, B.: *see* Grimm, J.
Kristy, R. M.: *see* Grossman, R. I.
Kroeger, H.: *see* Schoenberg, S. O.
Krombach, G. A., Schmitz-Rode, T., Tacke, J., Glowinski, A., Nolte-Ernsting, C. C., Günther, R. W.: MRI of the inner ear: Comparison of axial T2-weighted, three-dimensional turbo spin-echo images, maximum-intensity projections, and volume rendering, 337
Krupinski, E.: *see* Unger, E.
Kugel, H.: *see* Maintz, D.
Kuhn, M. J.: *see* Grossman, R. I.
Kværness, J.: *see* Amundsen, T.

L

Lai, X.: *see* Correas, J.-M.
Laissy, J.-P., Menegazzo, D., Dumont, E., Piekarski, J.-D., Karila-Cohen, P., Chillon, S., Schouman-Claeys, E.: Hemodynamic effect of iodinated high-viscosity contrast medium in the rat kidney: A diffusion-weighted MRI feasibility study, 647
Lampe, D.: *see* Weiwad, W.
Lanza, G. M., Abendschein, D. R., Hall, C. S., Marsh, J. N., Scott, M. J., Scherrer, D. E., Wickline, S. A.: Molecular imaging of stretch-induced tissue factor expression in carotid arteries with intravascular ultrasound, 227
Lederman, R.: *see* Leichter, I.
Lee, D.: *see* Grossman, R. I.
Lee, J. H.: *see* Schreyer, A. G.
Lee, J. Y.: *see* Jung, K.-J.
Lee, K. S.: *see* Jung, K.-J.
Lee, S. H., Hahn, S. T., Yoo, J., Kim, J.: Hemostatic effect of glue-lipiodol mixture plugged in the needle tract after renal biopsies in a high-risk, anticoagulated rabbit model, 684
Lee, W.: *see* Kim, I.-O.
Leeds, N.: *see* Grossman, R. I.
Lehmann, K.-J.: *see* Sadick, M.
Leichter, I., Buchbinder, S., Bamberger, P., Novak, B., Fields, S., Lederman, R.: Quantitative characterization of mass lesions on digitized mammograms for computer-assisted diagnosis, 366
Le Jeune, J. J. *see* Messager, T.
Lemaire, L.: *see* Messager, T.
Lemke, A.: *see* Ricke, J.
Lenhart, M.: *see* Manke, C.
Lequin, M. H.: *see* van Rijn, R. R.
Lind, P.: *see* Gallowitsch, H. J.
Link, J.: *see* Manke, C.
Lintner, F.: *see* Huber, M.
Liu, J.-B.: *see* Hagen, E. K.
Liu, S. C. K.: *see* Budoff, M. J.
Llull, J. B. *see* Morel, D. R.
Longino, M. A.: *see* Bakan, D. A.
Lorberbaum, J. P.: *see* Bohning, D. E.
Lorusso, V.: *see* Spinazzi, A.
Loughlin, K. R.: *see* Schreyer, A. G.
Lu, B.: *see* Budoff, M. J.
Lüsse, S.: *see* Grimm, J.
Lutz, O.: *see* Machann, J.
Luzzani, F.: *see* Spinazzi, A.

M

MacDonald, R. C.: *see* Tiukinhoy, S. D.
Machann, J., Schnatterbeck, P., Raible, A., Lutz, O., Claussen, C. D., Schick, F.: Magnetic resonance osteodensitometry in human heel bones: Correlation with quantitative computed tomography using different measuring parameters, 393
Mahowald, M. E.: *see* Tiukinhoy, S. D.
Maintz, D., Fischbach, R., Schäfer, N., Schäfer, H., Gossmann, A., Kugel, H.: Results of electrochemical therapy of colorectal liver metastases in rats followed up by MRI, 289
Manke, C., Nitz, W. R., Lenhart, M., Völk, M., Geissler, A., Feuerbach, S., Link, J.: Magnetic resonance monitoring of stent deployment: In vitro evaluation of different stent designs and stent delivery systems, 343
Mao, S.: *see* Budoff, M. J.
Maravilla, K.: *see* Grossman, R. I.
Marchal, G.: *see* Miao, Y.
Marchand, B., Douek, P. C., Benderbous, S., Corot, C., Canet, E.: Pilot MR evaluation of pharmacokinetics and relaxivity of specific blood pool agents for MR angiography, 41
Marinelli, E. R., Neubeck, R., Song, B., Wagler, T., Ranganathan, R. S., Sukumaran, K., Wedeking, P. W., Nunn, A., Runge, V. M., Tweedle, M. F.: Synthesis, characterization, and imaging performance of a new class of macrocyclic hepatobiliary MR contrast agents, 8
Maris, T.: *see* Gourtsoyiannis, N.
Marsh, J. H.: *see* Lanza, G. M.
Martel, A.: *see* Moody, A. R.
Martí-Bonmatí, L., Vega, T., Benito, C.,Muñoz, A., Niewel, M., Menor, F., Meurer, K., Encina, J. L.: Safety and efficacy of Omniscan® (gadodiamide injection) at 0.1 mmol/kg for MRI in infants younger than 6 months of age: Phase III open multicenter study, 141
Matsumura, J. S.: *see* Tiukinhoy, S. D.
Mayer, I.: *see* Schunk, K.
McConnell, K. A.: *see* Bohning, D. E.
McCreery, T.: *see* Unger, E.
McGavin, L.: *see* Bohning, D. E.
McIntire, G. L.: *see* Wisner, E. R.
McIntire, G. L., Bacon, E. R., Illig, K. J., Coffey, S. B., Singh, B., Bessin, G., Shore, M. T., Wolf, G. L.: Time course of nodal enhancement with CT x-ray nanoparticle contrast agents: Effect of particle size and chemical structure, 91
McPherson, D. D.: *see* Tiukinhoy, S. D.
Menegazzo, D.: *see* Laissy, J.-P.
Menor, F.: *see* Martí-Bonmatí, L.
Merton, D. A.: *see* Hagen, E. K.
Messager, T., Franconi, F., Lemaire, L., De Bray, J. M., Saint André, J. P., Jallet, P., Le Jeune, J. J.: MRI study of transient cerebral ischemia in the gerbil: Interest of T2 mapping, 180
Messmer, P.: *see* Jacob, A. L.
Metzger, III, P.: *see* Unger, E.
Meyer, J. M. A., Bücker, A., Schürmann, K., Rübben, A., Günther, R.: MR evaluation of stent patency: In vitro tests of 22 metallic stents and the possibility of determining their patency by MR angiography, 739
Meurer, K.: *see* Martí-Bonmatí, L.
Miao, Y., Ni, Y., Yu, J., Marchal, G.: A comparative study on validation of a novel cooled-wet electrode for radiofrequency liver ablation, 438
Mihara, N.: *see* Honda, O.
Mikosch, P.: *see* Gallowitsch, H. J.
Miller, S.: *see* Schick, F.
Millner, R.: *see* Weiwad, W.
Mills, J.: *see* Unger, E.
Minas, T.: *see* Nehrer, S.
Mlynárik, V.: *see* Trattnig, S.
Mlynárik, V., Trattnig, S.: Physicochemical properties of normal articular cartilage and its MR appearance, 589
Möckel, R.: *see* Sadick, M.
Moody, A. R., Martel, A., Kenton, A., Allder, S., Horsfield, M. A., Delay, G., Morgan, P.: Contrast-reduced imaging of tissue concentration and arterial level (CRITICAL) for assessment of cerebral hemodynamics in acute stroke by magnetic resonance, 401
Morana, G.: *see* Grazioli, L.
Morel, D. R., Schwieger, I., Hohn, L., Terrettaz, J., Llull, J. B., Cornioley, Y. A., Schneider, M.: Human pharmacokinetics and safety evaluation of SonoVue™, a new contrast agent for ultrasound imaging, 80
Morgan, P.: *see* Moody, A. R.
Moshkovitz, M.: *see* Graif, M.
Motro, M.: *see* Tenenbaum, A.
Müller, H. M., Tripolt, M. B., Rehak, P. H., Groell, R., Reinmüller, R., Tscheliessnigg, K.-H.: Noninvasive measurement of pulmonary vascular resistances by assessment of cardiac output and pulmonary transit time, 727
Müller, W.: *see* Böhm, T.
Müller-Hülsbeck, S.: *see* Grimm, J.
Müller-Hülsbeck, S., Höpfner, M., Hilbert, C., Krämer-Hansen, H., Heller, M.: Mechanical thrombectomy of acute thrombosis in transjugular intrahepatic portosystemic shunts, 385
Müller-Hülsbeck, S., Kalinowski, M., Heller, M., Wagner, H.-J.: Rheolytic hydrodynamic thrombectomy for percutaneous treatment of acutely occluded infra-aortic native arteries and bypass grafts: Midterm follow-up results, 131
Müller-Hülsbeck, S., Schwarzenberg, H., Hutzelmann, A., Steffens, J. C., Heller, M.: Intravascular ultrasound evaluation of peripheral arterial stent-grafts, 97
Muñoz, A.: *see* Martí-Bonmatí, L.
Muschick, P.: *see* Krause, W.

N

Nagaraj, A.: *see* Tiukinhoy, S. D.
Nägele, T.: *see* Schick, F.
Nahas, Z.: *see* Bohning, D. E.
Naito, H.: *see* Honda, O.
Nakamura, H.: *see* Honda, O.
Nehrer, S., Minas, T.: Treatment of articular cartilage defects, 639
Neubeck, R.: *see* Marinelli, E. R.
Neuhaus, P.: *see* Hänninen, E. L.
Ni, Y.: *see* Miao, Y.
Niewel, M.: *see* Martí-Bonmatí, L.
Nishida, T.: *see* Honda, O.
Nishimura, M.: *see* Honda, O.
Nitz, W. R.: *see* Manke, C.; Seitz, J.
Nolte-Ernsting, C. C.: *see* Krombach, G. A.
Nolte-Ernsting, C. C. A.: *see* Staatz, G.
Novak, B.: *see* Leichter, I.
Nunn, A.: *see* Marinelli, E. R.

O

Oberholzer, K.: *see* Schunk, K.
Obst, T.: *see* Saar, B.
Ødegård, A.: *see* Amundsen, T.

Oishi, R.: *see* Sendo, T.
Orth, T.: *see* Schunk, K.

P

Papanikolaou, N.: *see* Gourtsoyiannis, N.
Park, S. W.: *see* Kim, I.-O.
Perisinakis, K.: *see* Damilakis, J.
Pianezzola, P.: *see* Spinazzi, A.
Piekarski, Jean-D.: *see* Laissy, J.-P.
Pirovano, G.: *see* Grazioli, L.
Port, M.: *see* Corot, C.
Portolani, N.: *see* Grazioli, L.
Prassopoulos, P.: *see* Gourtsoyiannis, N.
Prins, T. R.: *see* Kok, T.
Prokesch, R. W.: *see* Bader, T. R.
Provenzale, J. M.: *see* Grossman, R. I.
Puig, S.: *see* Trattnig, S.
Pyeun, Y. S.: *see* Jung, K.-J.

Q

Qi, X.: *see* Correas, J.-M.
Quirin-Cosmidis, I.: *see* Blum, A. G.

R

Raible, A.: *see* Machann, J.
Rajagopalan, R.: *see* Achilefu, S.
Ramsey, R.: *see* Grossman, R. I.
Ranganathan, R. S.: *see* Marinelli, E. R.
Regazzoni, P.: *see* Jacob, A. L.
Rehak, P. H.: *see* Müller, H. M.
Reiber, J. H. C.: *see* Šrámek, A.; Van Assen, H. C.
Reichenbach, J. R.: *see* Böhm, T.
Reimer, P.: *see* Tombach, B.
Reinhardt, M.: *see* Hochmuth, A.
Ricke, J.: *see* Hänninen, E. L.
Ricke, J., Hänninen, E. L., Amthauer, H., Lemke, A., Felix, R.: Assessment of the vascularization of neuroendocrine tumors by stimulated acoustic emission of SH U 508A ultrasound contrast agent and color or power Doppler sonography, 253
Rienmüller, R.: *see* Müller, H. M.
Robben, S. G. F.: *see* van Rijn, R. R.
Robert, P.: *see* Corot, C.
Roberts, D. R.: *see* Bohning, D. E.
Rocker, D.: *see* Högemann, D.
Rohrmann, D.: *see* Staatz, G.
Rosenbusch, G.: *see* Van Den Berg, J. C.
Rosendaal, F. R.: *see* Šrámek, A.
Rübben, A.: *see* Meyer, J. M. A.
Rubin, D. L.: *see* Grossman, R. I.
Rummeny, E. J.: *see* Spinazzi, A.
Runge, V. M.: *see* Marinelli, E. R.
Runge, V. M.: A note from the editor-in-chief, *Investigative Radiology*, 572

S

Saar, B., Heverhagen, J. T., Obst, T., Berthold, L. D., Kopp, I., Klose, K. J., Wagner, H.-J.: Magnetic resonancc colonography and virtual magnetic resonance colonoscopy with the 1.0-T system: A feasibility study, 521
Sadick, M., Diehl, S. J., Lehmann, K.-J., Gaa, J., Möckel, R., Georgi, M.: Evaluation of breathhold contrast-enhanced 3D magnetic resonance angiography technique for imaging visceral abdominal arteries and veins, 111
Saint André, J. P.: *see* Messager, T.
Saito, A.: *see* Takashima, S.
Saitoh, T., Koba, H., Shijubo, N., Tanaka, H., Sugaya, F.: Lobar distribution of emphysema in computed tomographic densitometric analysis, 235
Schaefer, R. M.: *see* Tombach, B.
Schäfer, H.: *see* Maintz, D.
Schäfer, N.: *see* Maintz, D.
Scheider, G., Seidel, R., Uder, M., Wagner, D., Weinmann, H.-J., Kramann, B.: In vivo microscopic evaluation of the microvascular behavior of FITC-labeled macromolecular MR contrast agents in the hamster skinfold chamber, 564
Scherrer, D. E.: *see* Lanza, G. M.
Schick, F.: *see* Machann, J.
Schick, F., Miller, S., Hahn, U., Nägele, T., Helber, U., Stauder, N., Brechtel, K., Claussen, C. D.: Fat- and water-selective MR cine imaging of the human heart: Assessment of right ventricular dysplasia, 311
Schild, H.: *see* Bachmann, R.
Schmitz, S. A., Coupland, S. E., G. R., Winterhalter, S., Wagner, S., Kresse, M., Semmler, W., Wolf, K.-J.,: Superparamagnetic iron oxide-enhanced MRI of atherosclerotic plaques in Watanabe hereditable hyperlipidemic rabbits., 460
Schmitz-Rode, T.: *see* Krombach, G. A.; Wildberger, J. E.
Schnatterbeck, P.: *see* Machann, J.
Schneider, G., Seidel, R., Uder, M., Wagner, D., Weinmann, H.-J., Kramann, B.: In vivo microscopic evaluation of the microvascular behavior of FITC-labeled macromolecular MR contrast agents in the hamster skinfold chamber, 564
Schneider, M.: *see* Gorce, J.-M.
Schneider, M.: *see* Morel, D. R.
Schoenberg, S. O., Floemer, Frank, Kroeger, Heiner, Hoffmann, Alexander, Bock, Michael, Knopp, M. V.: Combined assessment of obstructive sleep apnea syndrome with dynamic MRI and parallel EEG registration: Initial results, 267
Schoenberg, S. O.: *see* Essig, M.
Schouman-Claeys, E.: *see* Laissy, J.-P.
Schreyer, A. G., Fielding, J. R., Warfield, S. K., Lee, J. H., Loughlin, K. R., Dumanli, H., Jolesz, F. A., Kikinis, R.: Virtual CT cystoscopy: Color mapping of bladder wall thickness, 331
Schubert, H.: *see* Wildberger, J. E.
Schunk, K., Kern, A., Oberholzer, K., Kalden, P., Mayer, I., Orth, T., Wanitschke, R.: Hydro-MRI in Crohn's disease: Appraisal of disease activity, 431
Schürmann, K.: *see* Meyer, J. M. A.
Schwarzenberg, H.: *see* Müller-Hülsbeck, S.
Schwieger, I.: *see* Morel, D. R.
Sciulli, R.: *see* Towers, J. D.
Scott, M. J.: *see* Lanza, G. M.
Seidel, R.: *see* Schneider, G.
Seitz, J., Strotzer, M., Völk, M., Held, P., Djavidani, B., Nitz, W. R., Feuerbach, S.: Reduction of motion artifacts in magnetic resonance imaging of the neck and cervical spine by long-term averaging, 380
Selig, M.: *see* Kaiser, W. A.
Semmler, W.: *see* Schmitz, S. A.
Sendo, T., Kataoka, Y., Takeda, Y., Furuta, W., Oishi, R.: Nitric oxide protects against contrast media-increased pulmonary vascular permeability in rats, 472
Seong, C. K.: *see* Kim, I.-O.
Shastri, A.: *see* Bohning, D. E.
Shemesh, J.: *see* Tenenbaum, A.
Shijubo, N.: *see* Saitoh, T.
Shively, V. P.: *see* Tiukinhoy, S. D.
Shore, M. T.: *see* McIntire, G. L.
Sievänen, H.: A physical model for dual-energy x-ray absorptiometry–derived bone mineral density, 325
Simon, J.: *see* Grossman, R. I.
Simon, J.-M.: *see* Blum, A. G.
Simpson, D. H.: *see* Burns, P. N.
Singh, B.: *see* McIntire, G. L.
Slooff, M. J. H.: *see* Kok, T.
Sone, S.: *see* Takashima, S.
Song, B.: *see* Marinelli, E. R.
Spahn, M., Strotzer, M., Völk, M., Böhm, S., Geiger, B., Hahm, G., Feuerbach, S.: Digital radiography with a large-area, amorphous-silicon, flat-panel x-ray detector system, 260
Spielmann, R. P.: *see* Weiwad, W.
Spinazzi, A.: *see* Grazioli, L.
Spinazzi, A., Ceriati, S., Pianezzola, P., Lorusso, V., Luzzani, F. Fouillet, X., Alvino, S., Rummeny, E. J.: Safety and pharmacokinetics of a new liposomal liver-specific contrast agent for CT: Results of clinical testing a nonpatient volunteers, 1
Šrámek, A., Bosch, J. G., Reiber, J. H. C., Van Oostayen, J. A., Rosendaal, F. R.: Ultrasound assessment of atherosclerotic vessel wall changes reproducibility of intima-media thickness measurements in carotid and femoral arteries, 699
Staatz, G., Nolte-Ernsting, C. C. A., Adam, G. B., Hübner, D., Rohrmann, D., Stollbrink, C., Günther, R. W.: Feasibility and utility of respiratory-gated, gadolinium-enhanced T1-weighted magnetic resonance urography in children, 504
Stauder, N.: *see* Schick, F.
Steffens, J. C.: *see* Müller-Hülsbeck, S.
Steinkamp, H. J., Werk, M., Felix, R.: Treatment of postinterventional pseudoaneurysms by ultrasound-guided compression, 186
Steinmüller, T.: *see* Hänninen, E. L.
Stevens, G. R.: *see* Grossman, R. I.
Stollbrink, C.: *see* Staatz, G.
Strotzer, M.: *see* Seitz, J.
Strotzer, M.: *see* Spahn, M.
Sugaya, F.: *see* Saitoh, T.
Suhm, N.: *see* Jacob, A. L.
Sukumaran, K.: *see* Marinelli, E. R.
Sulzbacher, I.: *see* Imhof, H.
Sze, G.: *see* Grossman, R. I.

T

Tacke, J.: *see* Krombach, G. A.
Takashima, S., Takayama, F., Wang, Q., Kawakami, S., Saito, A., Sone, S.: Head and neck lesions: Determination of an optimal MT technique for prediction of malignancies, 244
Takayama, F.: *see* Takashima, S.
Takeda, Y.: *see* Sendo, T.
Talamini, G.: *see* Grazioli, L.
Tanaka, H.: *see* Saitoh, T.
Tenenbaum, A., Shemesh, J., Fisman, E. Z., Motro, M.: Advanced mitral annular calcification is associated with severe coronary calcification on fast dual spiral computed tomography, 193
Terrettaz, J.: *see* Morel, D. R.
Théon, A.: *see* Wisner, E. R.
Tiukinhoy, S. D., Mahowald, M. E., Shively, V. P., Nagaraj, A., Kane, B. J., Klegerman, M. E., MacDonald, R. C., McPherson, D. D., Matsumura, J. S.: Development of echogenic, plasmid-incorporated, tissue-targeted cationic liposomes that can be used for directed gene delivery, 732

Tombach, B., Bremer, C., Reimer, P., Schaefer, R. M., Ebert, W., Geens, V., Heindel, W.: Pharmacokinetics of IM gadobutrol in patients with chronic renal failure, 35
Tomiyama, N.: *see* Honda, O.
Tornes, A.: *see* Hagen, E. K
Towers, J. D., Holbert, J. M., Britton, C. A., Costello, P., Sciulli, R., Gur, D.: Multipoint rank-order study methodology: Observer issues, 125
Trattnig, S.: *see* Huber, M.; Imhof, H.; Mlynárik, V.
Trattnig, S., Mlynárik, V., Huber, M., Ba-Ssalamah, A., Puig, S., Imhof, H.: Magnetic resonance imaging of articular cartilage and evaluation of cartilage disease, 595
Tripolt, M. B.: *see* Müller, H. M.
Truwit, C.: *see* Grossman, R. I.
Tscheliessnigg, Karl-H.: *see* Müller, H. M.
Tu, R.: *see* Grossman, R. I.
Tweedle, M. F.: *see* Marinelli, E. R.

U

Uder, M.: *see* Schneider, G.
Unger, E., Metzger, III, P., Krupinski, E., Baker, M., Hulett, R., Gabaeff, D., Mills, J., Ihnat, D., McCreery, T.: The use of a thrombus-specific ultrasound contrast agent to detect thrombus in arteriovenous fistulae, 86
Unterweger, E. K. O.: *see* Gallowitsch, H. J.

V

Vagner, J.: *see* Kaiser, W. A.
Van Assen, H. C., Vrooman, H. A., Egmont-Petersen, M., Bosch, H. G., Koning, G., Van Der Linden, E. L., Goedhart, B., Reiber, J. H. C.: Automated calibration in vascular x-ray images using the accurate localization of catheter marker bands, 219
Van Den Berg, J. C., Go, P. M. N. Y. H., De Valois, J. C., Rosenbusch, G.: Preliminary report: Preoperative and postoperative assessment of laparoscopic inguinal hernia repair by dynamic MRI, 695
Van Der Jagt, E. J.: *see* Kok, T.
Van Der Linden, E. L.: *see* Van Assen, H. C.
van der Sluis, I. M.: *see* van Rijn, R. R.
Van Kaick, G.: *see* Essig, M.
van Kuijk, C.: *see* van Rijn, R. R.
Van Oostayen, J. A.: *see* Šrámek, A.
van Rijn, R. R., van der Sluis, I. M., Lequin, M. H., Robben, S. G. F., de Muinck Keizer-Schrama, S. M. P. F., Hop, W. C. J., van Kuijk, C.: Tibial quantitative ultrasound *versus* whole-body and lumbar spine DXA in a Dutch pediatric and adolescent population, 548
Vedantham, S.: *see* Goodwin, S. C.
Vega, T.: *see* Martí-Bonmatí, L.
Violas, X.: *see* Corot, C.
Vogl, T. J.: *see* Hänninen, E. L.
Völk, M.: *see* Manke, C.; Seitz, J.; Spahn, M.
Voloudaki, A.: *see* Damilakis, J.
Vrooman, H. A.: *see* Van Assen, H. C.

W

Waage, A.: *see* Amundsen, T.
Wagler, T.: *see* Marinelli, E. R.
Wagner, D.: *see* Schneider, G.
Wagner, H.-J.: *see* Müller-Hülsbeck, S.; Saar, B.
Wagner, S.: *see* Schmitz, S. A.
Walach, E.: *see* Graif, M.
Wang, Q.: *see* Takashima, S.
Wanitschke, R.: *see* Schunk, K.
Warfield, S. K.: *see* Schreyer, A. G.
Wedeking, P. W.: *see* Marinelli, E. R.
Weichert, J. P.: *see* Bakan, D. A.
Weinmann, H.-J.: *see* Schneider, G.
Weiss, J.: *see* Graif, M.
Weiwad, W., Heinig, A., Goetz, L., Hartmann, H., Lampe, D., Buchmann, J., Millner, R., Spielmann, R. P., Heywang-Koebrunner, S. H.: Direct measurement of sound velocity in various specimens of breast tissue, 721
Wenz, F.: *see* Essig, M.
Werk, M.: *see* Steinkamp, H. J.
Wickline, S. A.: *see* Lanza, G. M.
Wiener, E. C.: *see* Konda, S. D.
Wildberger, J. E., Schmitz-Rode, T., Schubert, H., Günther, R. W.: Percutaneous venous thrombectomy with the use of a balloon sheath: First in vitro investigations of a new low-tech concept, 352
Wilson, S. R.: *see* Burns, P. N.
Winoto-Morbach, S.: *see* Grimm, J.
Winterhalter, S.: *see* Schmitz, S. A.
Wippold, II, F. J.: *see* Grossman, R. I.
Wisner, E. R., Théon, A., Griffey, S. M., McIntire, G. L.: Long-term effect of irradiation on lymph node uptake of interstitially delivered nanoparticulate constrast media, 199
Woesthuis, M.: *see* Kok, T.
Wolf, G. L.: *see* McIntire, G. L.
Wolf, K.-J.: *see* Schmitz, S. A.
Wong, G. C. H.: *see* Goodwin, S. C.

X

Xia, Y.: Magic-angle effect in magnetic resonance imaging of articular cartilage: A review, 602

Y

Yamamoto, S.: *see* Honda, O.
Yanuka, M.: *see* Graif, M.
Yeon, K. M.: *see* Kim, I.-O.
Yoo, J.: *see* Lee, S. H.
Yoon, H.-C.: *see* Goodwin, S. C.
Youssefzadeh, S.: *see* Imhof, H.
Yu, J.: *see* Miao, Y.

Z

Zelch, J.: *see* Grossman, R. I.
Zhuang, N.: *see* Budoff, M. J.

Subject Index—Volume 35

A

abdomen, breath-hold contrast-enhanced 3D MRA of, 111
ablation
  in liver, radiofrequency technique for, 438
  magnetic thermo-, effects in muscle tissue, 170
  radiofrequency, of breast tissue, 149
acoustic attenuation, in diffuse liver disease, 319
acoustic emission, stimulated, in neuroendocrine tumors, 253
acute respiratory distress syndrome (rabbit model), 534
adenoma, parathyroid, 453
adolescents, ultrasound versus DXA in, 548
adverse reactions, to iopromide-carrying liposomes (rat and pig models), 493
allergy-like reactions, to iopromide-carrying liposomes (rat and pig models), 493
alveolar damage, artificial ventilation-induced (rabbit model), 534
amorphous-silicon flat-panel detector, digital radiography with, 260
angiography
  automated calibration of, 219
  conventional pulmonary, versus perfusion MRI in porcine pulmonary embolism model, 295
  magnetic resonance. *see* magnetic resonance angiography
angioplasty, carotid artery, tissue factor expression and, 227
animal models. *see specific species*
apneic episodes, dynamic MRI and concurrent EEG registration in, 267
arteriography, after orthotopic liver transplantation, 653
arteriovenous fistulae, thrombus-specific contrast agent for, 86
arteriovenous malformations, FLAIR MRI assessment of, 689
artery(ies)
  abdominal, 3D-MIP MRA of, 111
  acutely occluded, rheolytic thrombectomy catheter for, 131
  stent-grafts in, peripheral, ultrasound of, 97
arthrography, double-contrast CT image quality in, 304
articular cartilage
  anatomy, biochemistry, and physiology of, 573
  defects in, treatment of, 639
  MRI of
    editorial, 571
    magic-angle effect in, 602
    normal appearance, 589
  pathology of. *see* cartilage disease
  pathophysiology of, 581
  physicochemical properties of, 589
artifacts
  in dynamic CT of hepatic perfusion, 539
  in MRI, reduction of, 380
artificial urinary calculi, in vitro study of, 672
artificial ventilation, alveolar damage and (rabbit model), 534
atherosclerotic disease
  heparin-impregnated collagen stent-graft in (porcine model), 420
  vessel wall changes in, assessment of, 699
atherosclerotic plaques, MRI of (rabbit model), 461
AVMs (arteriovenous malformations), FLAIR MRI assessment of, 689

B

balloon sheath, in percutaneous venous thrombectomy, 352
biochemistry, of articular cartilage, 573
biopsy, renal, glue-lipiodol mixture plugs after (rabbit model), 684
bladder wall thickness, color mapping of, 331
blood flow
  cerebral, in acute stroke, 401
  hepatic
    arterial phase timing and, 486
    perfusion measurements, 539
    pulse inversion imaging of, 58
  prostatic, contrast-enhanced detection of, 118
blood-pool contrast agents
  dynamic MRA with, 41
  pharmacokinetics of (rabbit model), 213
BMD. *see* bone mineral density
bone
  degenerative diseases of, 581
  development of, ultrasound versus DXA in, 548
  injuries to, growth plate changes after (rabbit model), 712
  strength of, physical model for prediction of, 325
  subchondral, and cartilage disease, 581
bone mineral density, derived areal, physical model for, 315
BON(N)-STONE, in vitro study of, 672
BR21 contrast agents, 1
breast cancer
  biopsy and therapy in, robotic system for, 513
  sound velocity in tissue specimens, 721
breast tumors
  computer-aided diagnosis of, 366
  radiofrequency ablation of, 149
bronchiectasis, evaluation of, 557
bubble size distribution, and contrast agent echogenicity, 661

C

calcification, mitral annular and coronary, 193
cancer, ovarian. *see* ovarian tumors
cardiac imaging, fat- and water-selective MR cine, 311
cardiac output, in pulmonary vascular resistance, 727
carotid artery
  atherosclerotic changes in, 699
  tissue factor expression in, 227
cartilage
  anatomy, biochemistry, and physiology of, 573
  defects in, treatment of, 639
  hyaline, pathophysiology of, 581
  MRI of
    editorial, 571
    magic-angle effect in, 602
    normal appearance, 589
  physicochemical properties of, 589
cartilage disease
  MRI of, 595
    editorial, 572
    techniques in early stages of, 622
  pathophysiology of, 581
  treatment of, 639
catheter
  automated band calibration in vascular angiography, 219
  in percutaneous venous thrombectomy, 352
  in rheolytic thrombectomy, 131
central nervous system pathology, 412
cerebral blood flow, in acute stroke, 401
cerebral ischemia, transient, 180
cervical spine, MRI motion artifacts and, 380
chemical shift imaging, in right ventricular dysplasia, 311
children
  Gd-enhanced MR urography in, 504

tibial ultrasound versus DXA in, 548
chondrocytes, 573
cine MRI, fat- and water-selective, 311
collagen stent-grafts, in atherosclerotic disease (porcine model), 420
collagen structure, articular cartilage and, 589, 602
colon, MRI feasibility study in, 521
colonoscopy, virtual MR, with 1.0-T system, 521
color mapping, of bladder wall thickness, 331
colorectal liver metastases, electrochemical therapy of, 289
compression, ultrasound-guided, of postinterventional pseudoaneurysms, 186
computed tomography
of artificial ventilation-induced alveolar damage (rabbit model), 534
dynamic, hepatic perfusion measurements by, 539
electron beam, of pericardial sinuses, 359
fetal radiation dose in late pregnancy from, 527
helical
hepatic arterial phase timing during, 486
in bronchiectasis evaluation, 557
whole-body registration-free navigation system using, 279
hepatoselective, polyiodinated triglyceride lipid emulsions for, 158
in liver. *see* liver, computed tomography of
lobar distribution of emphysema on, 235
lymph node nanoparticle contrast enhancement in, 91
lymphography and, uptake of iodinated contrast agents in, 199
quantitative, of human heel bones in osteoporosis, 393
spiral
in in vitro study of artificial urinary calculi, 672
mitral annular and coronary calcification association on, 193
computed tomography arthrography, double-contrast, image quality in, 304
computed tomography cystoscopy, bladder wall thickness mapping and, 331
computer-aided diagnosis, of mass lesions in breast, 366
contrast agents
dynamic MRA, with blood pool agents, 41
FITC-labeled, microvascular behavior of (hamster model), 564
fluorescent, for tumor detection, 479
gadobutrol pharmacokinetics in chronic liver failure, 35
hepatobiliary MR, 8
ionic, pulmonary edema induced by (rat model), 472
for liver CT
arterial phase timing in, 486
Dy-EOB-DTPA, 373
liposomal, 1
polyiodinated triglyceride lipid emulsions, 1
low-dose, in cerebral hemodynamics in acute stroke, 401
for MRI in patients with CNS pathology, 412
^{99m}Tc-tetrofosmin, for subtraction scintigraphy versus SPECT in goiter, 453
nonionic, double-contrast CT arthrography image quality with, 304
optical, for tumor detection, 479
OptiMARK and Magnevist compared, 412
orally administered, for hydro-MRI in Crohn's disease, 431
superparamagnetic. *see* superparamagnetic contrast agents
for ultrasound. *see* ultrasound contrast agents
contrast enhancement
in liver CT, arterial phase timing in, 486
in parathyroid gland MRI, 426
in pediatric MR urography, 504
superparamagnetic iron oxide, for MRI of atherosclerotic plaques (rabbit model), 461
contrast media
iodinated high-viscosity, hemodynamic effect in kidney (rat model), 647
microbubble contrast of liver blood flow, 58
nanoparticle uptake by irradiated lymph nodes, 199
Omniscan® safety and efficacy in infants, 141
cooled-wet electrode, for radiofrequency liver ablation, 438
coronary artery disease, calcification in, 193
coronary stenosis, experimental, for MRI and SPECT imaging (porcine model), 445
CRITICAL technique, in cerebral hemodynamics in acute stroke, 401
Crohn's disease
hydro-MRI in, 431
MR imaging of small bowel in, 707
CT. *see* computed tomography
cystoscopy, bladder wall thickness mapping and, 331

D

degenerative disease, of bone, 581
dendrimer chelates, ovarian tumors and, 50
derived areal bone mineral density, physical model for, 315
diffusion-weighted MRI feasibility study, of high-viscosity iodinated contrast medium in rat kidney, 647
digital mammography, 366
digital radiography, 260
dog, hepatic tolerance to Dy-EOB-DTPA in, 373
Doppler intensitometry, microbubble enhancement on, 72
Doppler sonography. *see* power Doppler sonography
dual-energy X-ray absorptiometry
and derived areal BMD model, 315
quantitative ultrasound versus, in children and adolescents, 548
DXA. *see* dual-energy X-ray absorptiometry
Dy-ethoxybenzyi-(EOB)-DTPA, hepatotoxic side effects of, 373
dye peptide conjugates, for tumor detection, 479
dynamic CT, hepatic perfusion measurements by, 539
dynamic MRI
in apneic episodes, 267
in pre- and postoperative laparoscopic inguinal hernia repair, 695

E

ear, MRI techniques compared in, 337
echogenic antibody-conjugated anionic liposomes, for gene delivery, 732
echogenicity, of ultrasound contrast agents, 661
edema, pulmonary, contrast-media induced (rat model), 472
electrochemical therapy, of colorectal liver metastases, 289
electrode, for radiofrequency liver ablation, 438
electroencephalography, in apneic episodes, 267
electron beam tomography, of pericardial sinuses, 359
emphysema, lobar distribution of, 235
enteroclysis, MRI true-FISP sequence in small bowel after, 707
extracellular matrix, and chondrocyte interaction, 573

F

fast imaging with steady-state precession (FISP) sequence MRI, of small bowel, 707
fast spin-echo imaging, in cartilage disease, 595
fat-selective MR cine imaging, of right ventricular dysplasia, 311
fat-suppressed imaging, in cartilage disease, 595
femoral artery, atherosclerotic changes in, 699
fetus, and CT radiation dose in late pregnancy, 527
FISP (fast imaging with steady-state precession) sequence MRI, of small bowel, 707

FLAIR (fluid-attenuated inversion-recovery) MRI, in arteriovenous malformations, 689
flat-panel detector, amorphous silicon, 260
fluid-attenuated inversion-recovery (FLAIR) MRI, in arteriovenous malformations, 689
fluid collection, in pericardial sinuses and recesses, 359
fluorescent contrast agents, for tumor detection, 479
folate, ovarian tumor enhancement and, 50

G

gadobenate dimeglumine, in delayed MRI of hepatocellular carcinoma, 25
gadobutrol, pharmacokinetics in chronic liver failure, 35
gadodiamide injection, safety and efficacy in infants, 141
gadolinium
  as macrocyclic hepatobiliary MR contrast agent, 8
  and MR urography in children, 504
  for MRI in patients with CNS pathology, 412
  ovarian tumor enhancement and, 50
  pharmacokinetics of (rabbit model), 213
gastrointestinal tract, hydro-MRI in, 431
Gd-BOPTA, in delayed MRI of hepatocellular carcinoma, 25
Gd-DOTA, microvascular behavior of (hamster model), 564
Gd-DTPA
  and Gd-DTPA-BMEA compared, 412
  microvascular behavior of (hamster model), 564
  in MR colonography with 1.0-T system, 521
Gd-DTPA-BMEA, and Gd-DTPA compared, 412
gene delivery, liposomes for, 732
genitourinary system, pediatric, Gd-enhanced MR urography of, 504
gliosis, perilesional, AVMs and, FLAIR MRI assessment of, 689
glue-lipiodol mixture, hemostatic effect of (rabbit model), 684
goiter, subtraction scintigraphy versus SPECT for, 453
gradient-echo imaging, in osteoporosis, 393
growth plate changes, after skeletal injury (rabbit model), 712

H

hamster, microvascular behavior of MR contrast in, 564
harmonic imaging
  of liver blood flow, 58
  versus conventional power Doppler ultrasonography, 105
head and neck
  lesions of, optimal MT technique in, 244
  MRI motion artifacts and, 380
heel bones, density measurements in osteoporosis, 393
helical CT. *see* computed tomography, helical
hemodynamics
  cerebral, in acute stroke, MRI of, 401
  hepatic
    arterial phase timing during contrast-enhanced liver CT, 486
    perfusion measurements by dynamic CT, 539
  of iopromide-carrying liposomes (rat and pig models), 493
  renal, effect of iodinated high-viscosity contrast medium in (rat model), 647
hemostatic effect, of glue-lipiodol mixture (rabbit model), 684
heparin-impregnated collagen stent-graft (porcine model), 420
hepatic arterial phase, in liver CT, 486
hepatic perfusion, dynamic CT measurement of, 539
hepatocellular carcinoma, Gd-BOPTA in delayed MRI of, 25
hepatotoxicity, of Dy-EOB-DTPA, 373
hernia repair, inguinal laparoscopic, 695
hyaline cartilage, 581
hydro-MRI, in Crohn's disease, 431
hydrodynamic devices, for percutaneous thrombectomy, 131
hyperechoic tissue, conventional versus harmonic power Doppler sonography in, 105
hyperparathyroidism
  contrast-enhanced MRI in, 426
  subtraction scintigraphy versus SPECT of goiter in, 453

I

image-guided therapy, navigation system for, 279
images
  evaluation of, interobserver variability, 125
  quality of, in bronchiectasis evaluation, 557
imaging artifacts, in dynamic CT of hepatic perfusion, 539
imaging systems, evaluation of, 125
infants, Omniscan® safety and efficacy in, 141
infusion protocols, for microbubbles, 72
inguinal hernia, laparoscopic repair of, 695
interobserver variability, in image evaluation, 125
interventional procedures
  radiofrequency liver ablation, 438
  robotic system in breast MRI, 513
  whole-body registration-free navigation system for, 279
intravascular ultrasound, of peripheral arterial stent-grafts, 97
iodinated contrast media
  high-viscosity, hemodynamic effect in kidney (rat model), 647
  nanoparticles, uptake by irradiated lymph nodes, 199
iohexol, vascular permeability and (rat model), 472
iomeprol, liposome-encapsulated, for liver CT, 1
ionic contrast media, vascular permeability and (rat model), 472
iopromide-carrying liposomes, hemodynamic effects of (rat and pig models), 493
ioxaglate, vascular permeability and (rat model), 472
iron oxide
  magnetic thermoablation of muscle tissue and, 170
  superparamagnetic, for MRI of atherosclerotic plaques (rabbit model), 461
irradiation, of lymphatic system, contrast uptake after, 199
ischemic changes, AVMs and, FLAIR MRI of, 689
isotonic dimeric iodixanol, image quality with, 304

K

kidney
  chronic failure of, pharmacokinetics of gadobutrol in, 35
  diffusion-weighted MRI feasibility study (rat model), 647
  glue-lipiodol mixture plugs after biopsy of (rabbit model), 684
  trauma to, new ultrasound mode and contrast agent in diagnosis of, 205

L

laminar appearance, of articular cartilage in MRI, 602
liposomal contrast agent, for liver CT, 1
liposomes
  echogenic antibody-conjugated anionic, for gene delivery, 732
  iopromide-carrying, and prevention of hemodynamic effects (rat and pig models), 493
liver
  blood flow imaging in, 58
  chronic failure of, gadobutrol pharmacokinetics in, 35
  computed tomography of arterial phase timing in, 486
  Dy-EOB-DTPA, 373
    dynamic, perfusion measurements by, 539
    liposomal, 1

polyiodinated triglyceride lipid emulsions, 1
macrocyclic hepatobiliary MR contrast agent in, 1
pulse-inversion imaging in, 58
radiofrequency ablation in, with a cooled-wet electrode, 438
liver disease, histology-ultrasound correlation in, 319
liver metastases, colorectal, electrochemical therapy of, 289
liver transplantation, orthotopic, arteriography and portal venography after, 653
lobar distribution, of emphysema, 235
lung densitometry, lobar distribution of emphysema on CT, 235
lymph nodes
CT enhancement levels for, 91
irradiated, contrast uptake by, 199
lymphography, with CT nanoparticle agents, 91

M

magic-angle effect, 602
magnetic resonance angiography
3D-MIP, in abdominal imaging, 111
determination of stent patency by, 739
dynamic, with blood pool agents, 41
Gd chelate pharmacokinetics in (rabbit model), 213
of pulmonary embolism (pig model), 295
magnetic resonance colonography, with 1.0-T system, 521
magnetic resonance imaging
as follow-up to electrochemical therapy of colorectal liver metastases, 289
contrast-enhanced, in hyperparathyroidism, 426
delayed, of hepatocellular carcinoma, Gd-BOPTA in, 25
diffusion-weighted, effects in rat kidney, 647
dynamic
in apneic episodes, 267
in laparoscopic inguinal hernia repair, 25
fat- and water-selective, of right ventricular dysplasia, 311
FLAIR, in assessment of arteriovenous malformations, 689
hydro-, in Crohn's disease, 431
in CNS pathology, 412
in transient cerebral ischemia, 180
lymphography and, uptake of iodinated contrast agents in, 199
motion artifacts in, 380
of articular cartilage, 595
editorial on, 571
magic-angle effect in, 602
normal appearance, 589
of atherosclerotic plaques (rabbit model), 461
of cartilage disease, 595
editorial on, 572
techniques in early stages of, 622
of cerebral hemodynamics in acute stroke, 401
of coronary stenosis (porcine model), 445
of growth plate changes after skeletal injury (rabbit model), 712
of inner ear, techniques compared, 337
of pulmonary embolism (pig model), 295
of stent deployment, 343
of stent patency, 739
Omniscan® safety and efficacy in infants, 141
superparamagnetic contrast agents in. *see* superparamagnetic contrast agents
true-FISP sequence, of small bowel, 707
with 1.0-T system, 521
magnetic resonance osteodensitometry, in human heel bones, 393
magnetic resonance urography, Gd-enhanced, in children, 504
magnetic thermoablation, effects in muscle tissue, 170
magnetite particles, ultrasmall, 553
magnetization transfer, optimal, for head and neck lesions, 244
Magnevist, and OptiMARK compared, 412
malignancy, optimal MT technique for prediction of, 244
mammography
digital, mass lesion characterization on, 366
MR, and robotic system for biopsy and therapy in breast cancer, 513
mass lesions, in breast, 366
maximum-intensity projections, in inner ear, 337
medical navigation system, helical CT and, 279
microbubbles
for liver blood flow ultrasound, 58
human pharmacokinetics and safety evaluation of, 80
infusion versus bolus administration, 72
microvascular behavior, of FITC-labeled contrast agents (hamster model), 564
mitral annular calcification, on spiral CT, 193
monomeric iohexol, CT image quality with, 304
motion artifacts
in dynamic CT of hepatic perfusion, 539
in MRI, reduction by long-term averaging, 380
motor cortex brain activity, TMS-induced, 676
MRA. *see* magnetic resonance angiography
MRI. *see* magnetic resonance imaging
MRX-408 contrast agent, thrombus-specific, 86
MT. *see* magnetization transfer
multipoint rank-order study, of imaging systems, 125
muscle tissue, magnetic thermoablation effects in, 170

N

nanoparticle contrast agents, for lymph node enhancement, 91
neck. *see* head and neck
neuroendocrine tumors, vascularization of, power Doppler sonography of, 253
newborns, Omniscan® safety and efficacy in, 141
nitric oxide, vascular permeability and (rat model), 472
NMR relation times, articular cartilage imaging and, 589
nonionic contrast agents, CT image quality with, 304

O

observer performance, in image evaluation, 125
obstructive sleep apnea syndrome, dynamic MRI and EEG assessment of, 267
Omniscan®, safety and efficacy in infants, 141
opacification, in bowel images, 431
optical contrast agents, for tumor detection, 479
OptiMARK, and Magnevist compared, 412
orthotopic liver transplantation, arteriography and portal venography after, 653
osteoarthritis, articular cartilage and, 573
osteochondritis dissecans, pathophysiology of, 581
osteodensitometry, in human heel bones, 393
osteonecrosis, pathophysiology of, 581
osteoporosis
DXA–derived BMD predicting, physical model for, 325
human heel bone density measurements in, 393
ovarian tumors, dendrimer chelates targeted to, 50

P

parathyroid glands
adenoma of, subtraction scintigraphy versus SPECT for, 453
contrast-enhanced MRI of, 426

percutaneous delivery system, of collagen stent-graft in atherosclerotic disease (porcine model), 420
percutaneous venous thrombectomy, balloon sheath use in, 352
perfusion imaging
  of cerebral hemodynamics in acute stroke, 401
  hepatic, by dynamic CT, 539
  of pulmonary embolism (pig model), 295
pericardial sinuses, electron beam tomography of, 359
peripheral arterial stent-grafts, intravascular ultrasound of, 97
pharmacokinetics
  gadobutrol in chronic renal failure, 35
  of BR21 contrast agent in liver, 1
  of SonoVue™, 80
pharynx, evaluation in apneic episodes, 267
physicochemical properties, of normal articular cartilage, 589
pig
  collagen stent-grafts in atherosclerotic disease in, 420
  coronary stenosis creation in, for MRI and SPECT imaging, 445
  hemodynamic effects of iopromide-carrying liposomes in, 493
  hepatic tolerance to Dy-EOB-DTPA in, 373
  pulmonary embolism model, conventional versus perfusion MR angiography in, 295
portal venography, after orthotopic liver transplantation, 653
postinterventional pseudoaneurysms, ultrasound-guided compression of, 186
power Doppler sonography
  conventional versus harmonic, 105
  vascularization assessment of neuroendocrine tumors by, 253
pregnancy, fetal radiation dose from CT in, 527
prostheses. *see* stents
proteoglycan, and water interaction, articular cartilage MRI and, 602
pseudoaneurysms, postinterventional, 186
pulmonary circulation, resistance measurements in, 727
pulmonary edema, contrast-media induced (rat model), 472
pulmonary transit time, pulmonary vascular resistance and, 727
pulse-inversion imaging, of liver blood flow, 58

Q

quantitative computed tomography, in osteoporosis, 393
quantitative ultrasonography, versus DXA in children and adolescents, 548

R

rabbit
  artificial ventilation-induced alveolar damage in, CT detection of, 534
  Gd chelate pharmacokinetics in MRA in, 213
  glue-lipiodol mixture plugs after renal biopsy in, 684
  MRI of atherosclerotic plaques in, 461
  MRI of growth plate changes after skeletal injury in, 712
radiation dose, fetal, in late pregnancy CT scanning, 527
radiofrequency ablation
  saline-enhanced, of breast tissue, 149
  with a cooled-wet electrode, in liver, 438
radiology, therapeutic, effect on lymphatic uptake of iodinated contrast agents, 199
radionuclide imaging, of experimental coronary stenosis (porcine model), 445
rat
  hemodynamics in
    effect of iodinated high-viscosity contrast agents in kidney, 647
    effects of iopromide-carrying liposomes on, 493
  hepatic tolerance to Dy-EOB-DTPA in, 373
  ionic contrast agents, pulmonary edema induced by, 472
renal biopsy, glue-lipiodol mixture plugs after (rabbit model), 684
renal failure, 1M gadobutrol pharmacokinetics in, 35
renal trauma, new ultrasound mode and contrast agent in diagnosis of, 205
rheolytic thrombectomy catheter, in acutely occluded arteries, 131
right ventricular dysplasia, fat- and water-selective cine imaging in, 311
robotic system, in breast MRI, 513

S

safety, BR21 contrast agent in liver, 1
safety evaluation, of SonoVue™, 80
SF_6 (sulfur hexafluoride) contrast agent. *see* SonoVue™
shoulder, nonionic double-contrast CT arthrography image quality in, 304
single-proton-emission computed tomography
  of experimental coronary stenosis (porcine model), 445
  versus subtraction scintigraphy for goiter, 453
sleep apnea. *see* apneic episodes
small bowel, MRI true-FISP sequence in, 707
SonoVue™
  echogenicity of contrast agents and, 661
  human pharmacokinetics and safety evaluation of, 80
  infusion versus bolus administration, 72
sound velocity, in breast tissue specimens, 721
SPECT. *see* single-proton-emission computed tomography
spin-echo images
  in cartilage disease, 595
  of inner ear, 337
spiral CT. *see* computed tomography, spiral
steatosis, histology-ultrasound correlation in, 319
stenosis
  experimental coronary, for MRI and SPECT imaging (porcine model), 445
  quantification of, in vascular angiography, 219
stents
  and mechanical thrombectomy in acute thrombosis in TIPS, 385
  deployment of, MRI in, 343
  patency, MR evaluation of, 739
  peripheral arterial, intravascular ultrasound of, 97
stroke, acute, MRI of cerebral blood flow in, 401
subchondral bone, and cartilage disease, 581
subtraction scintigraphy, versus SPECT for goiter, 453
sulfur hexafluoride contrast agent. *see* SonoVue™
superparamagnetic contrast agents
  for MRI of atherosclerotic plaques (rabbit model), 461
  iron-oxide, for MRI of atherosclerotic plaques (rabbit model), 461
  ultrasmall magnetite particles as, 553
surgery, minimally invasive, medical navigation system for, 279

T

T2 mapping, in transient cerebral ischemia, 180
T2-weighted images, of inner ear, 337
^{99m}Tc-tetrofosmin, subtraction scintigraphy versus SPECT for goiter and, 453
therapeutic radiology, effect on lymphatic uptake of iodinated contrast agents, 199
thermoablation, magnetic, effects in muscle tissue, 170
thickness measurements, in carotid and femoral artery walls, 699
three-dimensional imaging
  in cartilage disease, 595
  of abdominal arteries and veins, 111
  of inner ear, 337

thrombectomy
mechanical, after TIPS, 385
percutaneous
balloon sheath use in, 352
hydrodynamic devices for, 131
thrombosis, thrombectomy of
mechanical, 385
percutaneous venous, balloon sheath use in, 352
thrombus-specific contrast agent, for arteriovenous fistulae, 86
TIPS (transjugular intrahepatic portosystemic shunt), mechanical thrombectomy in acute thrombosis in, 385
tissue factor expression, stretch-induced, molecular imaging of, 227
TMS. *see* transcranial magnetic stimulation
toxicity
and hepatic tolerance to Dy-EOB-DTPA, 373
Omniscan® in infants and, 141
transcranial magnetic stimulation, motor cortex brain activity induced by, 676
transient cerebral ischemia, MRI study of, 180
transjugular intrahepatic portosystemic shunt, in acute thrombosis, 385
transplantation, orthotopic liver, arteriography and portal venography after, 653
transrectal ultrasound, for prostate blood flow detection, 118
trauma
renal, new ultrasound mode and contrast agent in diagnosis of, 205
skeletal, MRI of growth plate changes after (rabbit model), 712
true fast imaging with steady-state precession (true-FISP) sequence MRI, of small bowel, 707
tumors
of breast, saline-enhanced radiofrequency ablation of, 149
optical contrast agents targeting, 479

U

ultrasmall magnetite particles, for MRI, 553
ultrasonography
and histology correlation in diffuse liver disease, 319
and postinterventional pseudoaneurysm compression, 186
contrast agents for. *see* ultrasound contrast agents
intravascular
of peripheral arterial stent-grafts, 97
of tissue factor expression in carotid arteries, 227
new mode, in renal trauma diagnosis, 205
of atherosclerotic vessel wall changes, 699
power Doppler. *see* power Doppler sonography
tibial quantitative, versus DXA in children and adolescents, 548
transrectal, for prostate blood flow detection, 118
velocity measurements in breast tissue specimens, 721
ultrasound contrast agents
echogenicity of, 661
for prostate blood flow detection, 118
human pharmacokinetics and safety evaluation of, 80
infusion versus bolus administration, 72
liver blood flow, 58
new, in diagnosis of renal trauma, 205
SH U 508A, in vascularization assessment of neuroendocrine tumors, 253
thrombus-specific, in arteriovenous fistulae, 86
urinary calculi, artificial, in vitro study of, 672
urography, Gd-enhanced MR, in children, 504

V

vascular angiography, automated calibration of, 219
vascular permeability
and FITC-labeled contrast agents (hamster model), 564
and nitric oxide (rat model), 472
vascular resistance, pulmonary, measurement of, 727
vascularization, of neuroendocrine tumors, power Doppler sonography of, 253
veins, abdominal, 3D-MIP MRA of, 111
venography, portal, after orthotopic liver transplantation, 653
venous thrombectomy, percutaneous, balloon sheath use in, 352
virtual CT cystoscopy, bladder wall thickness mapping and, 331
virtual MR colonoscopy, with 1.0-T system, 521
volitional movement, and TMS-induced motor cortex brain activity, 676
volume rendering, of inner ear, 337

W

water-proteoglycan interaction, articular cartilage MRI and, 602
water-selective MR cine imaging, of right ventricular dysplasia, 311

X

X-ray absorptiometry, dual-energy, and derived areal BMD model, 315